





*Printed*

# The Journal

OF THE

## EAST AFRICA AND UGANDA NATURAL HISTORY SOCIETY

---

May, 1924.

Special Supplement No. 3.

---

CONTENTS

### CHECK LIST

OF THE

### REPTILIA RECORDED

FROM THE

### BRITISH TERRITORIES IN EAST AFRICA.


BY

ARTHUR LOVERIDGE, F.E.S., C.M.Z.S.

EDITOR

DR. V. G. L. VAN SOMEREN.

Additional copies : to members, Shs. 3/-, to non-members, Shs. 6/6.



# The East Africa and Uganda NATURAL HISTORY SOCIETY

---

May, 1924.

Special Supplement No. 3.

---

## PATRONS.

SIR EDWARD NORTHEY, G.C.M.G.

SIR F. J. JACKSON, K.C.M.G., C.B., etc.

SIR E. P. C. GIROUARD, K.C.M.G., R.E., D.S.O.

SIR HESKETH BELL, K.C.M.G.

## PRESIDENT.

HIS EXCELLENCY, SIR ROBERT CORYNDON, K.C.M.G.

## VICE-PRESIDENTS.

HON. E. B. DENHAM, C.M.G., B.A., OXON.

A. B. PERCIVAL, ESQ., F.Z.S., M.B.O.U.

## EX. COMMITTEE.

E. BATTISCOMBE, ESQ., F.L.S., ASSOC. ARBOR. SOC.

REV. CANON ST. A. ROGERS, M.A. OXON., F.E.S.

CAPT. K. F. T. CALDWELL, B.A. CAM., F.Z.S., F.R.G.S.

CAPT. A. T. A. RITCHIE, M.B.O.U., F.Z.S.

C. J. WILSON, ESQ., M.A., M.B., B.CH., M.R.C.S., L.R.C.P., M.C.

R. F. MAYER, ESQ., C.C.I., M.I.J.

A. J. JEX-BLAKE, ESQ., M.D., F.R.C.P.LD.

C. J. J. T. BARTON, ESQ., M.A., CAM., F.R.A.I.

## HON. TREASURER.

REV. J. WESLEY HUNT, F.E.S.


## HON. SECRETARY.

V. G. L. VAN SOMEREN, L.R.C.P. & S., L.R.F.P. & S., L.D.S., F.L.S.,

M.B.O.U., C.F.A.O.U., F.E.S., C.M.Z.S., &C.

## HON. EDITOR OF JOURNAL.

DR. V. G. L. VAN SOMEREN.



CHECK LIST  
OF THE  
REPTILIA RECORDED  
FROM THE  
BRITISH TERRITORIES IN  
EAST AFRICA.

BY

ARTHUR LOVERIDGE, F.E.S., C.M.Z.S.





# CHECK LIST OF THE REPTILIA RECORDED FROM THE BRITISH TERRITORIES IN EAST AFRICA. BY

ARTHUR LOVERIDGE, F. E. S., C. M. Z. S.

For the sake of brevity the references of all species appearing in the accompanying list which are also mentioned in Dr. G. A. Boulenger's "Catalogues", have been omitted, and for the others the only reference given is that of the publication in which the description of the species first appeared.

Those who desire keys to assist in the determination of the species are referred to Dr. Boulenger's "List of the Snakes of East Africa," 2. and the present writer's "List of the Lizards of British Territories in East Africa," 3. and "Notes on East African Tortoises." 4. The chameleons still require much study and considerable collecting on account of their local distribution. It is probable that many synonyms require eliminating from the present list of these creatures.\*

Some 309 reptiles are recorded here as being found in the area under consideration; of these, 2 are crocodiles, 13 tortoises or turtles, 139 snakes, 114 lizards and 41 chameleons.

The distribution, as far as it is at present known, may be divided as follows:—

|             | Uganda. | Kenya Colony. | Tanganyia Territory. | Zanzibar. |
|-------------|---------|---------------|----------------------|-----------|
| Crocodiles. | 1       | 1             | 2                    | 1         |
| Tortoises.  | 7       | 10            | 12                   | 3         |
| Snakes.     | 55      | 75            | 105                  | 23        |
| Lizards.    | 29      | 62            | 87                   | 16        |
| Chameleons. | 11      | 13            | 27                   | 3         |
| Totals.     | 103     | 161           | 233                  | 46        |

- \* 1. Catalogue of the Chelonians in the British Museum. 1889.  
Catalogue of the Snakes in the British Museum. 1893-1896.  
Catalogue of the Lizards in the British Museum. 1885-1887.  
2. Proc. Zool. Soc. 1915. pp. 611-640.  
3. Proc. Zool. Soc. 1923. pp. 841-863.  
4. Proc. Zool. Soc. 1923. pp. 930-933.



Though Tanganyika Territory is much the larger area, I am inclined to think that it is rather because this region has been more thoroughly worked that the number of species recorded is so much greater than from the neighbouring territories.

The record of a crocodile for Zanzibar is based on the appearance of a single individual in a cave formed in the coral limestone cliff of the sea-shore. The event has been reported on by Dr. Anders, elsewhere. The reptile was doubtless washed out to sea from one of the coast mainland rivers during the rains.

## ORDER EMYDOSAURIA.

### CROCODILIDAE.

- |                                                               |                 |
|---------------------------------------------------------------|-----------------|
| <i>Crocodilus cataphractus</i> , (Cuv.) Long-nosed Crocodile. | T.T.            |
| <i>Crocodilus niloticus</i> , (Laur.) African Crocodile.      | U. K.C. T.T. Z. |

## ORDER CHELONIA.

### TESTUDINIDAE.

- |                                                                       |                 |
|-----------------------------------------------------------------------|-----------------|
| <i>Cinixys belliana</i> , (Gray.) Bell's Hinged Tortoise.             | U. K.C. T.T. Z. |
| <i>Testudo pardalis</i> , (Bell.) Leopard Tortoise.                   | U. K.C. T.T.    |
| <i>Testudo procterae</i> , (Loveridge.) Keeled Soft-shelled Tortoise. | T.T.            |
| Love. Proc. Zool. Soc. 1923, p. 928.                                  |                 |
| <i>Testudo tornieri</i> , (Siebenrock.) Tornier's Tortoise.           | K.C. T.T.       |
| Sieb. S. B. Ak. Wiss. Wien. Vol. 112, p. 443, 1903.                   |                 |
| <i>Testudo loveridgii</i> , (Blgr.) Soft-shelled Land Tortoise.       | T.T.            |
| Blgr. Comp. rend. Acad. Sci. t. 170, p. 246. 1920.                    |                 |

### PELOMEDUSIDAE.

- |                                                                  |                 |
|------------------------------------------------------------------|-----------------|
| <i>Sternothaerus sinuatus</i> , (Smith.) Smith's Water Tortoise. | U. K.C. T.T.    |
| <i>Sternothaerus nigricans</i> , (Donnd.) Black Water Tortoise.  | U. K.C. T.T. Z. |
| <i>Sternothaerus derbianus</i> , (Gray.) Derby's Water Tortoise. | U.              |
| <i>Pelomedusa galeata</i> , (Schoepff).                          | U. K.C. T.T.    |



## CHELONIDAE.

|                                                            |              |
|------------------------------------------------------------|--------------|
| <i>Chelone mydas</i> , (Linn). Green Turtle.               | K.C. T.T. Z. |
| <i>Chelone imbricata</i> , (Linn). Hawksbill Turtle.       | K.C. T.T. Z. |
| <i>Thalassochelys caretta</i> , (Linn). Loggerhead Turtle. | K.C. T.T.    |

## TRIONYCHIDAE.

|                                                                          |                  |
|--------------------------------------------------------------------------|------------------|
| <i>Trionyx triunguis</i> , (Forskal). Soft-shelled Fresh Water Tortoise. |                  |
|                                                                          | Victoria Nyanza. |

## ORDER SQUAMATA.

## SUB-ORDER OPHIDIA.

## TYPHLOPIDAE.

|                                                                   |              |
|-------------------------------------------------------------------|--------------|
| <i>Typhlops gracilis</i> , (Sternf).                              | T.T.         |
| Sternf. Mitth. Zool. Mus. Berl. v. p. 70, 1910.                   |              |
| <i>Typhlops braminus</i> , (Daud). Brown Blind Snake.             | K.C.         |
| Probably introduced from S. Asia by human agency.                 |              |
| <i>Typhlops platyrhynchus</i> , (Sternf).                         | T.T.         |
| Sternf. Mitth. Zool. Mus. Berl. v. p. 69, 1910.                   |              |
| <i>Typhlops tornieri</i> , (Sternf). Tornier's Blind Snake.       | T.T.         |
| Sternf. Mitth. Zool. Mus. Berl. v. p. 69, 1910.                   |              |
| <i>Typhlops mandensis</i> , (Stej). Manda Island Blind Snake.     | K.C. T.T.    |
| <i>Typhlops gierrae</i> , (Mocq).                                 | T.T.         |
| Mocquard. Bull. Mus. Paris, p. 122, 1897.                         |              |
| <i>Typhlops exentricus</i> , (Procter).                           | T.T.         |
| Procter. Ann. Mag. Nat. Hist. Ser. 9, Vol. IX. p. 685 June, 1922. |              |
| <i>Typhlops mossambicus</i> , (Peters). Mozambique Blind Snake.   | U. T.T.      |
| <i>Typhlops punctatus</i> , (Leach). Spotted Blind Snake.         | U. K.C. T.T. |
| <i>Typhlops schlegelii</i> , (Bianc). Schlegel's Blind Snake.     | T.T.         |
| <i>Typhlops dinga</i> , (Peters).                                 | T.T.         |



|                                                |              |
|------------------------------------------------|--------------|
| Typhlops mucruso, (Peters).                    | K.C. T.T. Z. |
| Typhlops pallidus, (Cope). Pallid Blind Snake. | K.C. Z.      |
| Typhlops lumbriciformis, (Peters).             | T.T. Z.      |
| Typhlops unitaeniatus, (Peters).               | K.C. T.T. Z. |

## GLAUCONIDAE.

|                                                          |              |
|----------------------------------------------------------|--------------|
| Glauconia distanti, (Blgr). Distant's Blind Snake.       | T.T.         |
| Glauconia merkeri, (Werner). Merker's Blind Snake.       | T.T.         |
| Wern. Jahresh. Ver. Nat. Wurttemb. ixv. p. 61, 1909.     |              |
| Glauconia emini, (Blgr). Emin's Blind Snake.             | U. K.C. T.T. |
| Glauconia boulengeri, (Boettg). Boulenger's Blind Snake. | T.T.         |
| Boettg. in Voeltzkoff, Reise Ostaf. iii. p. 354.         |              |
| Glauconia conjuncta, (Jan).                              | K.C. T.T.    |
| Glauconia braueri, (Sternf). Brauer's Blind Snake.       | T.T.         |
| Sternf. Mitth. Zool. Mus. Berl. v. p. 70, 1910.          |              |

## BOIDAE.

|                                                 |                 |
|-------------------------------------------------|-----------------|
| Python sebae, (Gmel). African Python.           | U. K.C. T.T. Z. |
| Eryx thebaicus, (Reuss). East African Sand Boa. | K.C. T.T.       |

## COLUBRIDAE. A. Aglypha.

|                                                           |                 |
|-----------------------------------------------------------|-----------------|
| Tropidonotus olivaceus, (Peters). Olive Grass Snake.      | U. K.C. T.T.    |
| Glypholycus bicolor, (Gunth).                             | T.T.            |
| Bothrophthalmus lineatus, (Peters).                       | Z.              |
| Boodon infernalis, (Gunth). Olive-brown House Snake.      | T.T. Z.         |
| Boodon virgatus, (Hall).                                  | T.T.            |
| Boodon lineatus, (Dum. and Bib.) Brown House Snake.       | U. K.C. T.T. Z. |
| Boodon olivaceus, (A. Dum.) Olive House Snake.            | U.              |
| Lycophidium meleagris, (Blgr).                            | T.T.            |
| Lycophidium acutirostre, (Gunth). Sharp-nosed Wolf Snake. | T.T. Z.         |
| Lycophidium capense, (Smith). Cape Wolf Snake.            | U. K.C. T.T. Z. |
| Lycophidium jacksoni, (Blgr). Jackson's Wolf Snake.       | K.C. T.T.       |





- Lycophidium semicinctum*, (Dum. and Bib.) T.T.  
*Hormonotus modestus*, (Dum. and Bib.) U.  
*Simocephalus butleri*, (Blgr). Butler's File Snake. U. K.C.  
 Blgr. Ann. Mag. Nat. Hist. p. 489, 1907.  
*Simocephalus capensis*, (Smith). Cape File Snake. T.T.  
*Simocephalus chanleri*, (Stej). Chanler's File Snake. K.C.  
*Simocephalus unicolor*, (Blgr). Kenya File Snake. K.C.  
*Simocephalus poensis*, (Smith). U.  
*Simocephalus nyassae*, (Gunth). Nyasaland File Snake. Z.  
*Pseudaspis cana*, (Linn). Mole Snake. K.C. T.T.  
*Zamenis florulentus*, (Geoffr). Flowered Snake. K.C.  
*Chlorophis emini*, (Gunth). Emin's Green Snake. U. K.C. T.T.  
*Chlorophis schubotzi*, (Sternf). T.T.  
 Sternf. in Schubotz, Wiss. Ergebn. p. 269, 1918.  
*Chlorophis hoplogaster*, (Gunth). Green Snake. U. K.C. T.T.  
*Chlorophis macrops*, (Blgr). T.T.  
*Chlorophis neglectus*, (Peters). East African Green Snake. K.C. T.T.  
*Chlorophis heterolepidotus*, (Gunth). Strange-scaled Green Snake. T.T.  
*Chlorophis irregularis*, (Leach). Northern Green Snake. U. K.C. T.T.  
*Philothamnus semivariegatus*, (Smith). Bush Snake. U. K.C. T.T. Z.  
*Gastropyxis smaragdina*, (Schleg). U.  
*Gastropyxis orientalis*, (Werner). T.T.  
 Wern. Jahresh. Ver. Nat. Wurt. ixv. p. 55, 1909.  
*Hapsidophrys lineata*, (Fischer). U.  
*Thrasops rothschild*, (Mocq). K.C. T.T.  
 Mocq. Bull. Paris, p. 286, 1905.  
*Rhamnophis jacksoni*, (Gunth). U. K.C.  
*Coronella semiornata*, (Peters). U. K.C. T.T.  
*Coronella regularis*, (Fisch). U.  
*Coronella scheffleri*, (Sternf). K.C.  
 Sternf. Sitz. Ges. Nat. Fr. Berl. p. 93, 1908.  
*Grayia smythii*, (Leach). U.  
*Grayia tholloni*, (Mocq). U. K.C. T.T.  
 Mocq. Bull. Soc. Philom. (8) ix. p. 11, 1897.  
*Homalosoma lutrix*, (Linn). T.T. Z.  
*Prosymna ambigua*, (Bocage). Grey-Spotted Coppery Snake. T T Z.  
*Prosymna bocagii*, (Blgr). Bocage's Coppery Snake. T.T.  
 Blgr. Ann. and Mag. N. H. (6) xix. p. 278, fig. 1897.



- Prosymna variabilis*, (Werner). Variable Coppery Snake. T.T.  
 Werner, Jahr, Nat. Ver. Wurtemb. lxxv. p. 57, 1909.
- Scaphiophis albopunctatus*, (Peters). U. K.C. T.T.
- Dasypeltis scabra*, (Linn). African Egg-eating Snake. U. K.C. T.T. Z.

# COLUBRIDAE. B. Opisthoglypha.

- Geodipsas procterae*, (Loveridge). Procter's Snake. T.T.  
 Love. Proc. Zool. Soc. 1922, p. 313.
- Geodipsas vauerocegae*, Tornier). T.T.  
 Torn. Zool. Anz. xxv. p. 703. 1902.
- Tarbophis semiannulatus*, (Smith). African Tiger Snake. K.C. T.T.
- Tarbophis guentheri*, (Anders). K.C.
- Dipsadomorphus blandingii*, (Hallow). U. K.C. Z.
- Leptodira hotamboeia*, (Laur). Red-lipped Snake. U. K.C. T.T.
- Leptodira degeni*, (Blgr). Degen's Snake. U.  
 Blgr. Proc. Zool. Soc. 1906, p. 572, fig.
- Leptodira tornieri*, (Werner). T.T.  
 Wern. Sitzb. Ak. Wien. cxvi. p. 1876, 1907.
- Leptodira werneri*, (Blgr). T.T.  
 Blgr. Ann. & Mag. N. H. (6) xix. p. 281, 1897.
- Chamaetortus aulicus*, (Gunth). Cross-barred Snake. T.T.
- Hemirhagerrhis kelleri*, (Boettg). K.C.
- Amplorhinus nototaenia*, (Gunth). K.C. T.T.
- Amplorhinus taeniatus*, (Sternf). K.C.  
 Sternf. Mitth. Zool. Mus. Berl. iv. p. 241, 1908.
- Primerorhinus rhombeatus*, (Linn). Spotted Sheep-sticker. T.T.
- Primerorhinus triataeniatus*, (Gunth). Striped Sheep-sticker. U. K.C. T.T.
- Rhamphiophis rubropunctatus*, (Fisch). K.C. T.T. Z.
- Rhamphiophis oxyrhynehus*, (Reinh). K.C. T.T. Z.
- Dromophis lineatus*, (Dum. & Bib). U. T.T.
- Sammophis notosctictus*, (Peters). Dapple-backed Sand Snake. T.T.
- Sammophis punctulatus*, (Dum. & Bib.) Spotted Sand Snake. U. K.C. T.T.
- Sammophis subtaeniatus*, (Peters). Stripe-bellied Sand Snake. U. K.C. T.T. Z.
- Sammophis biseriatus*, (Peters). Two-lined Sand Snake. K.C. T.T.
- Sammophis angolensis*, (Bocage). Angola Sand Snake. T.T. Z.



|                                                                       |              |
|-----------------------------------------------------------------------|--------------|
| <i>Thelotornis kirtlandii</i> , (Hall). Bird Snake.                   | U. K.C. T.T. |
| <i>Dispholidus typus</i> , (Smith). Tree Snake or Boomslang.          | U. K.C. T.T. |
| <i>Calamellaps unicolor</i> , (Reinh).                                | U. K.C. T.T. |
| <i>Rhinocalamus dimidiatus</i> , (Gunth).                             | T.T.         |
| <i>Rhinocalamus meleagris</i> , (Sternf).                             | K.C.         |
| Sternf. Mitth. Zool. Mus. Berl. iv. p. 244, 1908.                     |              |
| <i>Chilorinophis butleri</i> , (Werner).                              | T.T.         |
| <i>Micrelaps bicoloratus</i> , (Sternf).                              | K.C.         |
| Sternf. Sitzb. Ges. Nat. Fr. Berl. p. 93, 1908.                       |              |
| <i>Miodon gabonensis</i> , (A. Dum).                                  | T.T.         |
| <i>Miodon christyi</i> , (Blgr).                                      | U. K.C.      |
| Blgr. Ann. & Mag. N. H. (7) xii. p. 354, 1903.                        |              |
| <i>Miodon graueri</i> , (Sternf).                                     | U.           |
| Sternf. Sitzb. Ges. Nat. Fr. Berl. p. 94, 1908.                       |              |
| <i>Aparallactus jacksoni</i> , (Gunth). Jackson's Black-headed Snake. | K.C. T.T.    |
| <i>Aparallactus werneri</i> , (Blgr). Werner's Black-headed Snake.    | T.T.         |
| <i>Aparallactus concolor</i> , (Fisch).                               | U K.C. T.T.  |
| <i>Aparallactus lunulatus</i> , (Peters).                             | T.T.         |
| <i>Aparallactus christyi</i> , (Blgr). Christy's Black-headed Snake.  | U.           |
| Blgr. Ann. & Mag. N. H. (8) v. p. 512, 1910.                          |              |
| <i>Aparallactus guentheri</i> , (Blgr). Gunther's Black-headed Snake. | T.T. Z.      |
| <i>Aparallactus capensis</i> , (Peters). Cape Black-headed Snake.     | T.T.         |
| <i>Aparallactus nigriceps</i> , (Peters). Peter's Black-headed Snake. | T.T.         |

#### COLUBRIDAE. C. Proteroglypha.

|                                                                 |                 |
|-----------------------------------------------------------------|-----------------|
| <i>Hydrus platurus</i> , (Linn). Black and Yellow Sea Snake.    | K.C.            |
| <i>Boulengerina stormsi</i> , (Dollo).                          | T.T.            |
| <i>Elapichis guentheri</i> , (Bocage). Gunther's Garter Snake.  | U. K.C. T.T.    |
| <i>Elapichis niger</i> , (Gunth). Black Garter Snake.           | K.C. T.T. Z.    |
| <i>Naia haie</i> , (Linn). Egyptian or Banded Cobra.            | K.C. T.T.       |
| <i>Naia melanoleuca</i> , (Hall). Black-lipped Cobra.           | U. K.C. T.T.    |
| <i>Naia nigricollis</i> , (Reinh). Black-necked Spitting Cobra. | U. K.C. T.T. Z. |
| <i>Dendraspis jamesonii</i> , (Traill). Jameson's Mamba.        | U. K.C.         |
| <i>Dendraspis angusticeps</i> , (Smith). Green or Black Mamba.  | K.C. T.T.       |
| <i>Dendraspis sjöstedti</i> , (Lönnb). Lönnberg's Mamba.        | T.T.            |



## VIPERIDAE.

|                                                                    |                 |
|--------------------------------------------------------------------|-----------------|
| <i>Causus rhombeatus</i> , (Licht). Common Night Adder.            | U. K.C. T.T.    |
| <i>Causus resimus</i> , (Peters). Green Night Adder.               | U. K.C. T.T.    |
| <i>Causus defilippii</i> , (Jan). Snouted Night Adder.             | K.C. T.T.       |
| <i>Causus lichtensteinii</i> , (Jan). Lichtenstein's Night Adder.  | U. K.C.         |
| <i>Vipera hindii</i> , (Blgr). Hinde's Viper.                      | K.C.            |
| Blgr. Ann. & Mag. N. H. (8) v. p. 513, 1910.                       |                 |
| <i>Vipera superciliaris</i> , (Peters).                            | T.T.            |
| <i>Bitis arietans</i> , (Merr). Puff Adder.                        | U. K.C. T.T. Z. |
| <i>Bitis gabonica</i> , (Dum. & Bib). Gaboon Viper.                | U. T.T. Z.      |
| <i>Bitis nasicornis</i> , (Shaw). Rhinoceros-horned Viper.         | U. K.C.         |
| <i>Atheris squamiger</i> , (Hallow). Tree Viper.                   | U. K.C. T.T.    |
| <i>Atheris nitschei</i> , (Torn). Tree Viper.                      | U. T.T.         |
| Torn. Zool. Jahrb. Syst. xv. p. 589, fig. 1902.                    |                 |
| <i>Atheris ceratophorus</i> , (Werner). Tree Viper.                | T.T.            |
| <i>Atractaspis irregularis</i> , (Reinh).                          | U. K.C. T.T. Z. |
| <i>Atractaspis conradi</i> , (Sternf).                             | U. T.T.         |
| Sternf. Sitzb. Ges. Nat. Fr. Berl. p. 94, 1908.                    |                 |
| <i>Atractaspis bipostocularis</i> , (Blgr). Kenya Burrowing Viper. | K.C.            |
| Blgr. Ann. & Mag. N. H. (7) xv. p. 190, 1905.                      |                 |
| <i>Atractaspis rostrata</i> , (Gunth). Snouted Burrowing Viper.    | K.C. T.T. Z.    |
| <i>Atractaspis aterrima</i> , (Gunth).                             | U.              |
| <i>Atractaspis katangae</i> , (Blgr). Katanga Burrowing Viper.     | T.T.            |
| Blgr. Ann. Mus. Congo. Zool. ii. p. 13, pl. v. fig. 2, 1901.       |                 |
| <i>Atractaspis microlepidota</i> , (Gunth).                        | K.C. T.T.       |

## SUB-ORDER LACERTILIA.

## GECKONIDAE.

|                                                                      |           |
|----------------------------------------------------------------------|-----------|
| <i>Stenodactylus guttatus</i> , (Cuv).                               | K.C.      |
| <i>Gonatodes quattuorseriatus</i> , (Sternf).                        | K.C.      |
| Sternf. Ergebn. Deut.-Zentral-Afrika Exp. 1907-08, iv. p. 202, 1913. |           |
| <i>Gonatodes africanus</i> , (Werner).                               | K.C. T.T. |
| Wern. Verhlg. k. k. zool. —bot. Ges. Wien, p. 190, 1895.             |           |
| <i>Diplodactylus wolterstorffi</i> , (Torn).                         | T.T.      |
| Torn. Zool. Jahrb. Syst. xiii. p. 584, f. A, 1900.                   |           |





- Hemidactylus isolepis*, (Blgr). K.C.  
Blgr. Proc. Zool. Soc. 1895, p. 531, pl. xxix. fig. 1.
- Hemidactylus tropidolepis*, (Mocq). K.C. T.T.  
Mocq. Mem. Cent. Soc. Philom. Paris, 1888, p. 113.
- Hemidactylus squamulatus*, (Törn). K.C. T.T.  
Törn. Die Kriecht. Deut-Ost-Africa, p. 10, 1897.
- Hemidactylus mabouia*, (Mor). K.C. T.T. Z.
- Hemidactylus citernii*, (Blgr). K.C. T.T.  
Blgr. Ann. Mus. Civ. st. nat. Genova, ser. 3a, Vol. v. (xiv.), 1912,
- Hemidactylus ruspolii*, (Blgr). K.C. T.T.  
Blgr. Ann. Mus. Civ. st. nat. Genova, ser. 2, xvii. p. 6, 1896.
- Hemidactylus brooki*, (Gray). U. K.C. T.T. Z.
- Hemidactylus wernerii*, (Törn). K.C. T.T.  
Törn. Arch. Naturg. vi. p. 63, 1897.
- Hemidactylus macropholis*, (Blgr). K.C.  
Blgr. Ann. Mus. Civ. st. nat. Genova, ser. 2, xvii. p. 7, 1896.
- Bunocnemis modestus*, (Gunth). K.C.  
Gunth. Proc. Zool. Soc. 1894, p. 85.
- Lygodactylus capensis*, (Smith). T.T.
- Lygodactylus fischeri*, (Blgr). K.C. T.T.  
Blgr. Proc. Zool. Soc. 1890, p. 80.
- Lygodactylus fischeri*, var. *scheffleri*, (Sternf). K.C. T.T.  
Sternf. Ergebn. Deut.-Zentral Afrika Exp. 1907-08, iv. (Z.2), p. 206, 1913.
- Lygodactylus grotei*, (Sternf). T.T.  
Sternf. S. B. Ges. nat. Berlin, nr. 4, p. 245, 1911.
- Lygodactylus picturatus*, (Peters). U. K.C. T.T. Z.
- Lygodactylus picturatus gutturalis*, (Bocage). K.C. T.T.
- Platypholis fasciata*, (Blgr). K.C. T.T.  
Blgr. Proc. Zool. Soc. 1890, p. 81, pl. viii. fig. 2.
- Pachydactylus hibronii*, (Smith). T.T.
- Pachydactylus boulengeri*, (Törn). T.T.  
Törn. Die Kriecht. Deut.-Ost-Afrika, p. 26, 1897.
- Phelsuma laticauda*, (Bttgr). T.T. Z.  
Phelsuma dubium (Bttgr). being considered a synonym.
- Phelsuma triedrus*, (Blgr). T.T.  
Blgr. Rev. Zool. Afr. iii. p. 104, fig. 1913.



## AGAMIDAE.

- Agama hispida*, (Linn). T.T.  
*Agama hispida* var. *distanti*, (Blgr). Distant's Agama. U. K.C. T.T.  
     Blgr. Ann. & Mag. N. H. (7) ix. p. 339, 1902.  
*Agama mossambica*, (Peters). Mozambique Agama. T.T.  
*Agama kirkii*, (Blgr). T.T.  
*Agama doriae*, (Blgr). K.C. T.T.  
     Blgr. Ann. Mus. Civ. st. nat. Genova, ser. 2, ii. p. 127, 1885.  
*Agama planiceps*, (Peters). U. T.T.  
*Agama colonorum*, (Daud). U. K.C. T.T.  
*Agama elgonis*, (Lönnb). K.C.  
     Lönnb. Arkiv för Zoologi, Band 14, no. 12, 1822.  
*Agama lionotus*, (Blgr). K.C. T.T.  
     Blgr. Proc. Zool. Soc. 1896, p. 214, pl. viii.  
*Agama lionotus*, var. *dodoma*, (Loveridge). T.T.  
     Love. Proc. Zool. Soc. 1923, p. 944.  
*Agama lionotus*, var. *mwanzae*, (Loveridge). T.T.  
     Love. Proc. Zool. Soc. 1923, p. 945.  
*Agama vaillanti*, (Blgr). Thorn-bush Agama. K.C. T.T.  
     Blgr. Ann. Mus. Civ. st. nat. Genova, ser. 2, xv. p. 12, 1895.  
*Agama flavicauda*, (Werner). Spiny-tailed Agama. K.C.  
     Wern. Zool. Anz. xx. p. 264, 1897.  
*Agama atricollis*, (Smith). Black-necked Agama. U. K.C. T.T.  
*Aporoscelis princeps*, (O'Shaugh). Z.

## ZONURIDAE.

- Zonurus tropidosternum*, (Cope). T.T.  
*Chamaesaura annectans*, (Blgr). U. K.C.  
     Blgr. Proc. Zool. Soc. 1899, p. 97.  
*Chamaesaura tenuior*, (Gunth). U. K.C. T.T.  
     Gunth. Ann. & Mag. N. H. ser. 6, xv. p. 524, 1895.  
*Chamaesaura miopropus*, (Blgr). T.T.  
     Blgr. Proc. Zool. Soc. 1894, p. 732.



## VARANIDAE.

- Varanus albigularis*, (Daud). White-throated Monitor. K.C. T.T. Z.  
*Varanus ocellatus*, (Rupp). Eye-spotted Monitor. U. K.C. T.T. Z.  
*Varanus niloticus*, (Linn). Nilotic Monitor. U. K.C. T.T. Z.

## AMPHISBAENIDAE.

- Amphisbaena phylofiniens*, (Torn). T.T.  
 Torn. Zool. Anz. 1899, p. 260.  
*Amphisbaenula orientalis*, (Sternf). T.T.  
 Sternf. S. B. Ges. naturf. Berlin, 1911, p. 246.  
*Chirindia ewerbecki*, (Werner). T.T.  
 Wern. Hamb. Jahrb. Wiss. Anst. xxvii. p. 37, 1910.  
*Geocalamus acutus*, (Sternf). K.C. T.T.  
 Sternf. Ergebn. Deut.-Zentral-Afrika Exp. 1907-08, iv. (Z.2), p. 209, 1912.  
*Geocalamus modestus*, (Gthr). T.T.

## LACERTIDAE.

- Nucras kilosae*, (Loveridge). T.T.  
 Love. Proc. Zool. Soc. 1922, p. 314.  
*Nucras emini*, (Blgr). U. K.C. T.T.  
 Blgr. Ann. & Mag. N. H. (7) xix. p. 593, 1907.  
*Nucras boulengeri*, (O. Neum). K.C. T.T.  
 Neum. Ann. & Mag. N. H. (7) v. p. 56, 1900.  
*Lacerta vatiereselli*, (Torn). T.T.  
 Torn. Zool. Anz. xxv. p. 701, 1902.  
*Lacerta jacksoni*, (Blgr). U. K.C.  
 Blgr. Proc. Zool. Soc. 1899, p. 96, pl. x.  
*Lacerta jacksoni*, var. *kibonotensis*. (Lönnb). T.T.  
 Lönnb. Sjostedt. Kilim-Meru Exp., Rept. Batr. p. 3, 1907.  
*Algiroides africanus*, (Blgr). U.  
 Blgr. Proc. Zool. Soc. 1906, p. 570.  
*Algiroides boulengeri*, (Peracca). U.  
 Perac. Atti. Acc. Torin. lii. p. 531, 1917.  
*Algiroides alleni*, (Barbour). K.C.  
 Barb. Proc. New Engl. Zool. Club, iv. p. 97, 1914.



|                                                       |              |
|-------------------------------------------------------|--------------|
| <i>Latastia johnstoni</i> , (Blgr).                   | T.T.         |
| Blgr. Ann. & Mag. N. H. (7) xix. p. 392, 1907.        |              |
| <i>Latastia siebenrocki</i> , (Torn).                 | K.C. T.T.    |
| Torn. Zool. Jahrb. Syst. xxii. p. 386, 1905.          |              |
| <i>Latastia longicaudata</i> , (Reuss).               | K.C. T.T.    |
| <i>Gastrophilis vittata</i> , (J. G. Fisch).          | T.T. Z.      |
| <i>Ichnotropis tanganicana</i> , (Blgr).              | T.T.         |
| Blgr. Ann. & Mag. N. H. (8) xix. p. 278, 1917.        |              |
| <i>Ichnotropis squamulosa</i> , (Peters).             | T.T.         |
| <i>Eremias spekii</i> , (Gunth).                      | U. K.C. T.T. |
| <i>Eremias smithii</i> , (Blgr).                      | K.C.         |
| Blgr. Proc. Zool Soc. p. 534, pl. xxix. fig. 4. 1895. |              |
| <i>Eremias striata</i> , (Peters).                    | K.C.         |
| <i>Eremias brenneri</i> , (Peters).                   | K.C.         |
| <i>Holaspis guentheri</i> , (Gray).                   | U. T.T.      |

## GERRHOSAURIDAE

|                                                              |              |
|--------------------------------------------------------------|--------------|
| <i>Gerrhosaurus major</i> , (A. Dum.)                        | K.C. T.T. Z. |
| <i>Gerrhosaurus flavigularis flavigularis</i> , (Wiegman).   | K.C. T.T. Z. |
| <i>Gerrhosaurus flavigularis forma intermedia</i> , (Lönnb). | T.T.         |
| Lönnb. Sjösedt. Kilim-Meru Exp., Rept. Batr. p. 7, 1907.     |              |
| <i>Gerrhosaurus nigrolineatus</i> , (Hall).                  | U. K.C. T.T. |

## SCINCIDAE.

|                                                                                  |                 |
|----------------------------------------------------------------------------------|-----------------|
| <i>Mabuia comorensis</i> , (Peters).                                             | K.C. T.T. Z.    |
| <i>Mabuia maculilabris</i> , (Gray).                                             | U. T.T.         |
| <i>Mabuia boulengeri</i> , (Sternf).                                             | T.T.            |
| Sternf. Sitz. B. Ges. naturf. Berlin, 1911. p. 248.                              |                 |
| <i>Mabuia planifrons</i> , (Peters).                                             | K.C. T.T.       |
| Mabuia diesneri, Sternf. S. B. Ges. naturf. Berlin, 1911. p. 248.                |                 |
| <i>Mabuia brevicollis</i> , (Wiegman).                                           | K.C. T.T.       |
| <i>Mabuia homalocephala</i> , (Weigman).                                         |                 |
| (Specimen without locality in Nairobi Museum identified by Dr. G. A. Boulenger). |                 |
| <i>Mabuia taitana</i> , (Peters).                                                | K.C.            |
| <i>Mabuia quinquetaeniata</i> , (Licht).                                         | U. K.C. T.T. Z. |
| <i>Mabuia megalura</i> , (Peters).                                               | U. K.C. T.T.    |





- Mabuia byonii*, (Bocage). K.C. T.T.  
*Mabuia varia*, (Peters). U. K.C. T.T.  
     *Mabuia isselii*, (Peters).  
     *Mabuia hildebrandtii*, (Peters).  
*Mabuia brauni*, (Torn). T.T.  
     Torn. Zool. Jahrb. Syst. xv. p. 585, 1901-02.  
*Mabuia obsti*, (Wern). T.T.  
     Wern. Mitt. Nat. Mus. Hamb. xxx. p. 43, 1913.  
*Mabuia striata*, (Peters). U. K.C. T.T. Z.  
*Mabuia irregularis*, (Lönnb). K.C.  
     Lönnb. Arkiv för Zoologi, Band 14, no. 12, 1922.  
*Lygosoma kutuensis*, (Lönnb). K.C.  
     Blgr. Ann. & Mag. N. H. (7) vi. p. 194, 1900.  
*Lygosoma fernandi*, (Burton). U. K.C.  
     Lönnb. K. Sv. Vet.-Akad. Handl. Band 47, no. 6. 1911.  
*Lygosoma sundevallii*, (Smith). U. K.C. T.T. Z.  
     *L. laeviceps*, (Peters).  
     *L. modestum*, (Gunth).  
*Lygosoma ferrandii*, (Blgr). T.T.  
     Blgr. Ann. Mus. Civ. st. nat. Genova, (2) xviii. p. 718, pl. 9. fig. 2, 1898.  
*Lygosoma anchietae*, (Bocage). K.C. T.T.  
*Lygosoma kilimensis*, (Stejn). T.T.  
     Stejn. Proc. U. S. Nat. Mus. xiv. (no. 862), p. 405, 1892.  
*Lygosoma thomasi*, (Torn) K.C.  
     Torn. Zool. Jahrb. Syst. xix. p. 175, 1903.  
*Lygosoma aloysii-sabandiae*, (Peracca). U.  
     Perac. Boll. Mus. Zool. Tor. xxii. (no. 553), 1907.  
*Lygosoma graueri quinquedigitata*, (Sternf). T.T.  
     Sternf. Ergebn. Deut.-Zentral-Afrika Exp. 1907-08, iv. (Z.2), p. 241, fig. 3b, 1913.  
*Lygosoma graueri quattuordigitata*, (Sternf). T.T.  
     Sternf. Ergebn. Deut.-Zentral-Afrika Exp. 1907-08, iv. (Z.2), p. 242, fig. 3a, 1913.  
*Lygosoma meleagris*, (Blgr). U.  
     Blgr. Ann. & Mag. N. H. (7) xix. p. 488, 1907.  
*Lygosoma blochmanni*, (Torn). T.T.  
     Torn. Zool. Jahrb. Syst. xix. p. 173, 1903.  
*Ablepharus boutonii*, (Desi). T.T. Z.



- Ablepharus boutonii, var. peronii, (Coct). K.C. T.T.  
 Ablepharus wahlbergii, (Smith). U. K.C. T.T.  
 Ablepharus megalurus, (Nieden). T.T.  
     Nied. Mitt. Mus. Berlin, vii. 1913, p. 89.  
 Scelotes eggeli, (Torn). T.T.  
     Torn. Zool. Anz. 1902, p. 700.  
 Sepsina tetradactyla, (Peters). T.T.  
 Melanoseps ater, var. longicauda, (Torn). T.T.  
     Torn. Zool. Jahrb. Syst. xiii. p. 602, 1900.  
 Scolecoseps acontias, (Werner). T.T.  
     Wern. Jahrb. Wiss. Anst. xxx. (2) p. 19, 1914.  
 Acontias meleagris, (Gray). T.T.  
     ANELYTROPIDAE.  
 Feylinia currori, (Gray). U. T.T.

## SUB-ORDER RHIPTOGLOSSA.

## CHAMAELEONTIDAE.

- Chamaeleon gracilis, (Hallow). U. T.T.  
 Chamaeleon dilepis dilepis, (Leach). U. K.C. T.T. Z.  
 Chamaeleon dilepis quilensis, (Bocage). K.C.  
 Chamaeleon dilepis isabellinus, (Gthr). K.C. T.T.  
     Gthr. Proc. Zool. Soc. p. 556, Tab. 33, f. 2. 1892.  
 Chamaeleon dilepis roperi, (Blgr). K.C. T.T.  
     Blgr. Proc. Zool. Soc. p. 85, t. 8, f. 4. 1890.  
 Chamaeleon angusticoronatus, (Barbour). Z.  
     Barb. Proc. Biol. Soc. Wash. V. 16, p. 61, 1903.  
 Chamaeleon bitaeniatus bitaeniatus, (Fisch). U. T.T.  
 Chamaeleon bitaeniatus ellioti, (Gthr). U. K.C.  
     Gthr. Ann. & Mag. N. H. (6), V. 15, p. 524, t. 21. 1895.  
 Chamaeleon bitaeniatus hoehneli, (Steindr). U. K.C.  
     Steindr. S. B. Ak. Wiss. Wien. V. 100, p. 307, 1891.  
 Chamaeleon bitaeniatus bergeri, (Sternf). K.C.  
     Sternf. Ergebn. Deut.-Zentral-Afrika Exp. IV. 2. p. 250, 1912.  
 Chamaeleon bitaeniatus graueri, (Sternf). U. T.T.  
     Sternf. Ergebn. Deut.-Zentral-Afrika Exp. IV. 2. p. 250, 1912.



- Chamaeleon bitaeniatus rudis*, (Blgr). U.  
Blgr. Ann. Mag. N. H. (7) xviii. p. 441, 1900.
- Chamaeleon bitaeniatus schubotzi*, (Sternf). T.T.  
Sternf. Ergebn. Deut.-Zentral-Afrika Exp. IV. 2. p. 252, 1912.
- Chamaeleon bitaeniatus tornieri*, (Sternf). K.C.  
Sternf. S. B. Ges. naturf. Berlin, p. 383, t. 17, f. 35, 1912.
- Chamaeleon senegalensis laevigatus*, (Gray). U.
- Chamaeleon göetzi*, (Torn). T.T.  
Torn. Zool. Anz. v. 22. p. 413, f. 3. 1899.
- Chamaeleon tigris*, (Kuhl). Z.
- Chamaeleon tempeli tempeli*, (Torn). T.T.  
Torn. Zool. Anz. vol. 22, p. 411, f. 2. 1899.
- Chamaeleon tempeli wolffi*, (Torn). T.T.  
Torn. Zool. Jahrb. Syst. XIII. p. 614, f. G. 1900.
- Chamaeleon fuelleborni*, (Torn). T.T.  
Torn. Zool. Jahrb. Syst. XIII. p. 614, f. H. 1900.
- Chamaeleon jacksoni*, (Blgr). U. K.C.  
Blgr. Ann. & Mag. N. H. (6), vol. 17, p. 376, 1899.
- Chamaeleon jacksoni vauerescecae*, (Torn). K.C.  
Torn. Zool. Jahrb. Syst. XIX. p. 176, 1903.
- Chamaeleon fischeri fischeri*, (Rchw). T.T.  
Rchw. Zool. Anz. v. X. p. 371, 1887.
- Chamaeleon fischeri matschiei*, (Wern). T.T.  
Wern. Verh. Zool. Bot. Ges. Wien. p. 192, 1895.
- Chamaeleon fischeri vosseleri*, (Nieden). T.T.  
Nied. S. B. Ges. naturf. Berlin, 245, t. XV. f. 7, 1913.
- Chamaeleon fischeri weneri*, (Nieden). T.T.  
Nied. S. B. Ges. naturf. Berlin, p. 241, t. XV. f. 6, 1913.
- Chamaeleon fischeri multituberculatus*, (Nieden). T.T.  
Nied. S. B. Ges. naturf. Berlin, p. 245, t. XV. f. 7, 1913.
- Chamaeleon tavetensis*, (Steindr). T.T.  
Steindr. S. B. Ges. Ak. Wien. vol. 100, p. 310, t. 1, f. 3, 1891.
- Chamaeleon deremensis*, (Matschie). T.T.  
Mats. S. B. Ges. naturf. Berlin, p. 108, 1892.
- Chamaeleon temporalis*, (Matschie). T.T.  
Mats. S. B. Ges. naturf. Berlin, p. 105, 1892.



- Chamaeleon johnstoni johnstoni*, (Blgr). U.  
 Blgr. Proc. Zool. Soc. p. 136, t. 13. 1901.
- Chamaeleon johnstoni affinis*, (Sternf). K.C. T.T.  
 Sternf. Ergebn. Deut.-Zentral-Afrika Exp. v. IV. 2. p. 262, 1912.
- Chamaeleon xenorhinus*, (Blgr). U.  
 Blgr. Proc. Zool. Soc. (ii), p. 135, pl. XII. 1901.
- Chamaeleon melleri*, (Gray). T.T.
- Chamaeleon werneri*, (Torn). T.T.  
 Torn. Zool. Anz. V. 22, p. 258, f. 1. 1899.
- Chamaeleon tenuis tenuis*, (Matschie). T.T.  
 Mats. S. B. Ges. naturf. Berlin, p. 106, 1892.
- Chamaeleon tenuis excurbitor*. (Barbour). K.C.  
 Barbour. Proc. Biol. Soc. Wash. XXIV. pp. 219-220. 1911.
- Chamaeleon spinosus*, (Matschie). T.T.  
 Mats. S. B. Ges. naturf. Berlin, p. 105, 1892.
- Rhampholeon boulengeri*. (Sternf). T.T.  
 Steindr. Anz. Ak. Wien. Nr. 10, p. 178, 1911.
- Rhampholeon brevicaudatus*, (Matschie). T.T.  
 Mats. S. B. Ges. naturf. Berlin, p. 107, 1892.
- Rhampholeon kersteni*. (Peters). U. K.C. T.T.











AMNH LIBRARY



100067746